

BÖLÜM 3.3

CPL (H) YETENEK TESTİ



SİVİL HAVACILIK GENEL
MÜDÜRLÜĞÜ

**Kontrol Pilotu
El Kitabı**



KONTROL PİLOTU EL KİTABI

BÖLÜM 3.3 CPL (H)



Uygulanabilir Genel Çerçeve

Uçuş kuralları	: VFR
Operasyon kuralları	: Part-NCO/NCC
Mürettebat kavramı	: SPO
Ekipman	: Helikopter (Items in section 4 a FSTD may be used)
Uygulanabilir tip veya sınıf	: SEP, SET veya MET
Zorunlu kontrol pilotu sertifikası	: FE (H)



KONTROL PİLOTU EL KİTABI

BÖLÜM 3.3 CPL (H)



1. Giriş

CPL (H) sahibi bir pilotun imtiyazı, ilgili hava aracı kategorisinde ticari olmayan operasyonlarda herhangi bir gelir elde etmeksiz sorumlu pilot (PIC) olarak yetenek testinde kullanılan tipte hava aracında uçmaktadır.

Adaylar yetenek testine girecekleri tipte hava aracında eğitim almış olmalıdır.

Kontrol pilotu yetenek testini yürütürken, CPL (H) adayının sahip olduğu deneyimini göz önünde bulundurmalıdır. Bununla birlikte Kontrol Pilotu, adayın Ek 4'te (Part FCL) açıklanan prosedürleri ve manevraları imtiyazlara uygun bir yeterlilik derecesi ile gerçekleştirmeye yeteneğini değerlendirecektir.



KONTROL PİLOTU EL KİTABI

BÖLÜM 3.3 CPL (H)



2. Test Yönetimi

Kontrol pilotu, yetenek testinin seyrüsefer kısmına hazırlanması için yeterli zamanı olması maksadıyla, hava durumu tahminlerini ve bölgesel kısıtlamaları hesaba katarak, sınav uçuş güzergâhi hakkında önceden adayı bilgilendirmelidir.

Başvuru sahibi, uçuş planlamasından sorumlu olmalı ve uçuşun gerçekleştirilmesine yönelik tüm ekipman ve belgelerin helikopterde olmasını sağlamalıdır.

Testte, adayın tek pilotla uçurulabilen bir helikopter ile VFR şartlarda uçabilmesini simüle etmek amaçlanmıştır. Yetenek testi 2 uçuşta icra edilebilir. Uçuşların toplam süresi en az 90 dakika olmalıdır ve meydan kontrolünde olmalıdır. Seyrüsefer senaryosu, adayın gerekli tüm yol prosedürlerini başarma yeteneğini gösterecek süreye ve yapıya sahip olmalıdır.

Genellikle adayın, helikopteri PIC fonksiyonlarının gerçekleştirilebileceği bir pozisyonдан uçurması ve testi gerçekleştirmesi gerekecektir. Kontrol pilotu öğretmen koltuğunda oturur ve sorumlu pilottur (PIC). Yetenek testi esnasında operasyonel veya kurumsal olarak gerekli olmadığı sürece helikoptere başka kimse giremez. Ayrıca, ATO/DTO kısıtlamaları göz önünde bulundurulmalıdır.

Test sürecine başlamadan önce kontrol pilotu, adayın CPL (H) yetenek testine önerilmesi de dâhil olmak üzere ön koşulların karşılandığını kontrol edecektir; ATO/DTO, istenirse kontrol edilmesi için eğitim kayıtlarını hazır bulunduracaktır. Bu doğrultuda aşağıdaki belgeler ve koşulların doğruluğu kontrol edilecektir:

- Pasaport veya kimlik kartı
- 18 yaşını doldurmuş olmak
- 1.sınıf sağlık sertifikası
- Telsizle haberleşme yetkinliği ve dil yetkinliği gereklilikleri
- CPL (H) teorik bilgi sınavını 36 ay içerisinde başarılı bir şekilde tamamlamış olmak
- Part FCL Appendix 3'te gösterilen tecrübe ve eğitim gerekliliklerini belirten Logbook kayıtları
- Yapılan yetenek testinde kullanılan hava aracı için Part-FCL sınıfı yetki gereklilikleri karşılamak
- ATO/DTO tarafından verilen eğitim tamamlama sertifikası
- ATO/DTO tarafından doldurulan ve onaylanan ilgili CPL (H) yetenek testi formu
- Hava aracı belgeleri
- Güncel seyrüsefer haritaları ve mevcutsa veri tabanı
- Kontrol uçuşlarını kapsayan hava aracı sigortası
- Uçuş safhası için spesifik ekipmanlar

Kontrol pilotu, adayın test için zinde, sağlıklı ve hazır olduğunu da gösteren ön koşul gerekliliklerinin karşılandığından emin olmalıdır. Bu onay sonrasında adayın kontrol pilotuna kimlik bilgilerini göstermesi ile birlikte kontrol pilotu yetenek testine resmi olarak başlar.



KONTROL PİLOTU EL KİTABI

BÖLÜM 3.3 CPL (H)



3. Kontrol Pilotu Brifingi

Kontrol Pilotu, aşağıdaki hususlar hakkında brifing vermelidir:

- Adayın soru sorma özgürlüğü
- Yetenek testinin amacı ve hedefi
- Uçulabilecek en kötü hava koşulları (örneğin Part-NCO, NAA, ATO/DTO veya test gereklilikleri)
- PIC kontrol pilotudur; aday kontrol pilotu gözetiminde sorumlu pilot (PIC) gibi bağımsız olarak hareket eder
- Testin belirli kısımlarında telsiz iletişimini kullanılması
- Görüş kısıtlayıcı teçhizat kullanımı
- Normal ve benzetilmiş olarak yapılan acil durumlarda kontrol pilotunun rolü
- Benzetilmiş motor arızası (minimum emniyet yüksekliği, kumandaların devri).
- Olası durumların idaresi (teknik, hava, ATC)
- Gerçek acil durumların idaresi (örneğin motor arıza usulleri, hava aracı kumanda devri)
- Geçme, kalma ve kısmi geçme kriterleri, maddeleri tekrarlama seçeneği ve sınav sonlandırma kuralları

Geçme/kalma kriterleri hakkında bilgi verirken kontrol pilotu, karar verme ve havacılığa yatkınlık dâhil olmak üzere Altbölüm 7' de belirtilen yetenek testi tamamlama standartlarını açıklamalıdır. Adaydan nelerin istendiğini anlaması için bazı test maddelerine vurgu yapılması gerekebilir. Testi tamamlama standartları konusunda aday da hemfikir olmalıdır ve kontrol pilotu bunlar hakkında brifing verirken gerçek uçuş koşullarını göz önünde bulundurmalıdır. Özellikle vurgulanması gereken maddeler şunlar olabilir:

- Kalkış performansı; kalkıştan vazgeçme noktasının seçilmesi
- İniş performansı; farklı iniş türleri için kabul edilebilir teker koyma noktasının seçilmesi ve toleransları
- Yan rüzgârında kalkış ve iniş; uçağa hâkim olunması ve hassasiyet beklenisi
- Seyrüsefer bölümünün doğruluğu ve hassasiyeti
- Benzetilmiş acil durumlar; uçağa hâkimiyet beklenisi, kontrol listesi kullanımı ve neyin nasıl simüle edileceğine dair bekleni

Tamamlama standartları hakkında bilgi verirken, usuller ve uçuş teknikleri onaylı eğitim organizasyonları (ATO) arasında değişebileceğinden dolayı kontrol pilotu, adayın ATO/DTO'da nasıl bir eğitim aldığına da incelemelidir. Bu, özellikle anormal durumlar, otorotatif iniş ve benzetilmiş motor arızaları usulleri vb. gibi manevralar için önemlidir.



KONTROL PİLOTU EL KİTABI

BÖLÜM 3.3 CPL (H)



4. Aday Uçuş Brifingi

Kontrol pilotu, adayın kesintisiz bir şekilde brifing yapmasına izin vermelidir; aday brifingi uçuşa gidip gidilmeyeceği kararı (go/no-go) kararını vererek sonlandıracaktır. Brifing, aşağıdaki hususları kapsamalıdır:

- Zaman çizelgesi (örneğin slot planlaması, biniş zamanı)
- Operasyonel seyrüsefer uçuş planı
- Hava durumu ve tahmini
- Mevcutsa ilgili yerel askeri kısıtlamalar dâhil olmak üzere NOTAM'lar
- Yakıt planlama
- Ağırlık ve denge hesabı
- Performans hesaplama
- Mevcutsa ATC uçuş planı;
- Bakım durumu da dâhil olmak üzere hava aracı durumu ve belgeleri
- Tehdit ve hata yönetimi boyutları



KONTROL PİLOTU EL KİTABI

BÖLÜM 3.3 CPL (H)



5. Yerde Sözlü Sınav

Kontrol Pilotu, aşağıdaki konularda, mümkün olduğunca planlanan uçuş ile ilgili soru sorarak uçuş öncesi briefing esnasında adayın ilgili teorik bilgisini kontrol etmelidir:

- Aday briefinginin devamı olan sorular
- Mevzuat (spesifik ulusal/uluslararası gereklilikler)
- Lisanslandırma (örneğin PPL (H) imtiyazları, yetki geçerliliği, geçerlik gereklilikleri)
- Operasyonel boyutlar
- Hava durumu bilgisi ve yorumu
- Hava sahası yapısı ve sınırları
- Hava aracı sistemleri, sınırları, performansı, ağırlık ve dengesi
- Uçuş planlama
- Seyrüsefer planları
- Acil durum usulleri



KONTROL PİLOTU EL KİTABI

BÖLÜM 3.3 CPL (H)



6. Yetenek Testi Maddeleri

Kontrol listesi kullanımı, havacılık, uçağın navigasyonu ve işletilmesine ilişkin bilgi ve beceri, uçak kullanma sanatı, uçağın harici görsel referans ile kontrolü, buzlanma önleme/giderme usulleri vb. tüm bölümlerde geçerlidir.

4 ncü bölümdeki maddeler bir helikopter FNPT veya FFS de sergilenebilir.

Zorunlu yetenek testi maddeleri, sol sütunda belirtilmektedir. Genişletilmiş kılavuz ve ilave açıklamalar sağ sütunda verilmektedir.

— *Bütün bölümlerde checklist kullanımı ve havacılık usulleri (uçağın görerek dış referanslarla kontrolü, anti/de-icing usulleri vb.) geçerlidir. / Use of checklist, airmanship (control of aeroplane by external visual reference, anti/de-icing procedures etc.) shall apply throughout all sections.*

BÖLÜM 1 – UÇUŞ ÖNCESİ/UÇUŞ SONRASI KONTROLLER VE PROSEDÜRLER

SECTION 1 – PRE-FLIGHT/POST FLIGHT CHECKS AND PROCEDURES

a	Helikopter bilgisi (örneğin; teknik log; yakıt, ağırlık ve denge, performans), uçuş planlaması, dokümantasyon, NOTAM'lar, hava durumu <i>Helicopter knowledge, (e.g. technical log, fuel, mass and balance, performance), flight planning, NOTAMS, weather</i>	<ul style="list-style-type: none">check all documents required for a private, passenger carrying flight are correctobtain and assess all elements of the prevailing and forecast weather conditionsobtain and assess all aeronautical information and NOTAMScomplete an appropriate flight navigation log and chartdetermine that the helicopter is correctly fuelled for the flightcomplete mass and balance calculation.calculate helicopter performance criteria and limitations applicable to runway / helipad and forecast weather conditions and make adjustments if required for actual conditions before take-off.Demonstrate use of the appropriate manufacturer's approved performance charts, tables and data.check helicopter serviceability record and technical log
b	Uçuş öncesi kontroller, parçaların yerleri ve görevleri <i>Pre-flight inspection/action, location of parts and purpose</i>	<ul style="list-style-type: none">perform all elements of the helicopter pre-flight inspections as detailedconfirm that the helicopter is in a serviceable and safe condition for flight.Use of LME
c	Kokpit kontrolleri, çalışma prosedürü <i>Cockpit inspection, starting procedure</i>	<ul style="list-style-type: none">complete an appropriate safety passenger procedure briefing for the Examinerperform all the check elements in accordance with the flight manual or the authorised checklist or pilot operating handbook.complete all recommended engine starting and after starting procedures
d	Haberleşme ve seyrüsefer teçhizatı kontrolleri, frekansların seçilmesi ve ayarlanması <i>Communication and navigation equipment checks, selecting and setting frequencies</i>	<ul style="list-style-type: none">perform all the communication including the radio and navigation tuning of radio and navigation aid facilitiesdemonstrate standard R/T procedures and phraseologyfollow ATC instructions.
e	Kalkış öncesi usuller, telsiz konuşma usulleri, ATC ile temas ve talimatlarının uygulanması <i>Pre-take-off procedure, R/T procedure, ATC liaison-compliance</i>	<ul style="list-style-type: none">complete all recommended pre-take-off checks and procedures • perform the take-off briefingcomplete passenger and crew brief, as necessaryobtain ATC departure clearance and comply with ATC instructions



KONTROL PİLOTU EL KİTABI

BÖLÜM 3.3 CPL (H)



f	Park etme, motor susturma ve uçuş sonrası usuller <i>Parking, shutdown and post-flight procedure</i>	<ul style="list-style-type: none">• comply with airport markings and signals• properly position the helicopter considering other aircraft, wind and surface conditions• complete all shutdown checks and procedures
----------	---	---

Bölüm 2 – HAVIR HAREKETLERİ , TEKAMÜL HAREKETLERİ VE KAPALI BÖLGELER

Section 2 - HOVER MANOEUVRES, ADVANCED HANDLING AND CONFINED AREAS

a	Kalkış ve iniş <i>Take-off and landing (lift off and touch down)</i>	<ul style="list-style-type: none">• complete the appropriate checklist• maintain power plant and rotor RPM within normal limits• descend vertically to within 4 feet of the designated touchdown point• divide attention inside and outside the helicopter• avoid runway incursions and/or ensure no conflict with traffic prior to take-off
b	Taksi, havir taksi <i>Taxi and hover taxi</i>	<ul style="list-style-type: none">• perform a brake check immediately after the helicopter begins moving• properly use cyclic, collective, and brakes as applicable to control speed while taxiing• use an airport diagram or taxi chart during taxi, if published• comply with airport/heliport taxiway markings, lights, signals• hover taxi over specified ground references, demonstrating forward, sideward, and rearward hovering and hovering turns• when hover taxi maintain a ground track of a designated reference legs
c	Baş/ Yan/ Arka Rüzgarında Sabit Havir <i>Stationary hover with head, cross and tail wind</i>	<ul style="list-style-type: none">• maintain position of a designated point with no aft movement in tailwind and crosswind conditions
d	Sabit havırda dönüşler, soldan ve sağdan 360° dönüşler <i>Stationary hover turns, 360° left and right (spot turns)</i>	<ul style="list-style-type: none">• perform a 360° spot turns, stopping or landing within 10° of specified headings• maintain a constant rate of turn at pivot points
e	İleri, yana ve geriye havir hareketleri <i>Forward, sideways and backwards hover manoeuvering</i>	<ul style="list-style-type: none">• hover taxi over specified ground references, demonstrating forward, sideward, and rearward hovering and hovering turns• maintain positive control of the helicopter during hover operations
f	Benzetilmiş motor arızaları havırdan. <i>Simulated engine failure from the hover</i>	<ul style="list-style-type: none">• select a suitable surface for a safe touchdown• select a safe hovering altitude of at least 2-3 feet• react appropriately to the simulated powerplant failure.• Smoothly apply proper flight control inputs to stop the yaw and touchdown with minimum sideward movement with no rearward movement
g	Baş ve arka rüzgarında ani duruş <i>Quick stops into and downwind</i>	<ul style="list-style-type: none">• properly coordinate all controls throughout the execution of the



KONTROL PİLOTU EL KİTABI

BÖLÜM 3.3 CPL (H)



		<p>maneuver to terminate in a hover at an appropriate hover height</p> <ul style="list-style-type: none">• maintain an altitude that will permit safe clearance between the tail boom and the surface
h	<p>Eğimli zemine veya hazırlanmamış yere yaklaşma ve kalkış. Sloping ground or unprepared sites landings and take-offs</p>	<ul style="list-style-type: none">• select a suitable slope• make a smooth positive descent to touch the upslope skid on the sloping surface• recognize if slope is too steep and abandon the operation prior to reaching cyclic control stops• neutralize controls after landing• make a smooth transition from the slope to a stabilized hover parallel to the slope
i	<p>Kalkışlar (çeşitli profillerde) Take-offs (various profiles)</p>	<ul style="list-style-type: none">• perform the approved/recommended take-off profiles• ensure a safe climb and use correct lookout techniques• complete all necessary after take-off checks
i	<p>Yan ve arka rüzgarında kalkış (eğer yapılabilsse) Crosswind and downwind take-off (if practicable)</p>	<ul style="list-style-type: none">• maintain proper ground track with crosswind correction throughout the take-off
j	<p>Maksimum kalkış ağırlığında kalkış (gerçek ve benzetilmiş) Take-off at maximum take-off mass (actual or simulated)</p>	<ul style="list-style-type: none">• use the take-off power as limited by the examiner
k	<p>Yaklaşmalar (çeşitli profillerde) Approaches (various profiles)</p>	<ul style="list-style-type: none">• complete the appropriate checklist• consider the wind, landing surface, and obstructions and select a suitable point• perform the approved/recommended approach profiles
l	<p>Limitli güç durumunda kalkış ve iniş Limited power take-off and landing</p>	<ul style="list-style-type: none">• demonstrate an in-flight power check, from which the examiner will set a simulated power limit to be used for the approach and landing• demonstrate an appropriate technique for the approach and landing using the simulated power limit set by the examiner
m	<p>Otorotasyonlar (KP Temel, mesafe, düşük süratte ve 360° dönüşlü otorotasyonlardan iki adedini seçer) Autorotations (FE to select two items from the following; basic, range, low speed and 360° turns)</p>	<ul style="list-style-type: none">• complete the appropriate checklist• select a suitable touchdown area and appropriate entry altitude• establish power off glide with the helicopter trimmed and autorotation airspeed• roll out of the turn to align the helicopter with the selected landing area no lower than 300 feet AGL• maintain rotor RPM within normal limits
n	<p>Otorotatif iniş Autorotative landing</p>	<ul style="list-style-type: none">• apply the appropriate flare at suitable height for helicopter/environmental conditions• initiate proper power recover• terminate autorotation to a stabilized hover at the recommended hovering altitude or to the surface in a safe area, as appropriate



KONTROL PİLOTU EL KİTABI

BÖLÜM 3.3 CPL (H)



o	Güçlü kurtarma <i>Practice forced landing with power recovery</i>	<ul style="list-style-type: none">choose a suitable landing area with due regard for landing surface, surroundings and wind velocityplan descent to achieve a safe approach to chosen landing area such that a safe landing would be assuredadjust the autorotative profile, as appropriatedemonstrate engine control for recovery from autorotationterminate autorotation to a stabilized hover at the recommended hovering altitude or to the surface in a safe area, as appropriate
p	Güç kontrolleri, keşif teknigi, yaklaşma ve ayrılış teknigi <i>Power checks, reconnaissance technique, approach and departure technique</i>	<ul style="list-style-type: none">accomplish a proper high and low reconnaissance of the confined landing areaselect a suitable approach path, termination point, and departure pathcontinually evaluate the suitability of the confined landing area and/or termination point.accomplish a proper ground reconnaissance

Bölüm 3 – SEYRÜSEFER VE ROTA USÜLLERİ/

Section 3 - NAVIGATION AND EN-ROUTE PROCEDURES

a	Çeşitli irtifa veya yüksekliklerde seyrüsefer ve oryantasyon, harita okuma <i>Navigation and orientation at various altitudes or heights and map reading</i>	<ul style="list-style-type: none">complete all elements of VFR planning for the route prescribed with particular reference to planned altitudes and safe levels of operationidentify position visually by reference to ground features and mapappropriate use of a moving map systems, in complement with the classical way of navigationprevention of airspace infringementFailed of the moving map system
b	İrtifa veya yükseklik, hava hızı, istikamet kontrolü, hava sahası usulü ve altimetre ayarları <i>Altitude or height, speed, heading control, observation of airspace and altimeter setting</i>	<ul style="list-style-type: none">control aeroplane using visual attitude flying techniquesmaintain the heading height and speed as computed in navigation log or advised to the Examiner within the prescribed limitscollision avoidance, maintain awareness of surrounding terrain, obstacles and restricted airspacesuse of ADS-B (if equipped)
c	Uçuş göstergelerinin kullanılması, seyrüsefer logu, yakıt hesabı, seyrüsefer süresi, ETA, rotada düşme hataları ve düşme hatalarının düzeltilmesi ve aletlerin değerlendirilmesi <i>Monitoring of flight progress, flight log, fuel usage, endurance, ETA, assessment of track error and re-establishment of correct track and instrument monitoring</i>	<ul style="list-style-type: none">navigate by means of calculated headings, ground speed and timeachieve destinations or turning points within 3 minutes of ETAmaintain the heading, altitude and speed as computed in navigation log or advised to the Examiner within the prescribed limits
d	Meteorolojinin incelemesi ve değerlendirilmesi, uçuş planı değişikliği <i>Observation of weather conditions, diversion planning</i>	<ul style="list-style-type: none">calculate heading, ground speed, ETA and fuel required during any unscheduled diversioncalculate Safety Altitude for track to new



KONTROL PİLOTU EL KİTABI

BÖLÜM 3.3 CPL (H)



		<p><i>destination</i></p> <ul style="list-style-type: none"> • maintain a navigation log to monitor flight progress and fuel situation
e	Seyrüsefer yardımcılarının kullanımı (uygun olduğunda) <i>Use of navigation aids (where available)</i>	<ul style="list-style-type: none"> • select and identify the appropriate radio and navigation aids as required or nominated by the examiner determine position using the navigation system • Intercept and track a given course, radial, or bearing, as appropriate. • recognize signal loss and take appropriate action • correct track error through suitable heading adjustment • use proper communication procedures when utilizing radar services
f	ATC usulleri ve kurallarının uygulanması, vb. <i>ATC liaison with due observance of regulations, etc</i>	<ul style="list-style-type: none"> • set and cross check altimeters to local QNH or Standard pressure setting, as appropriate • maintain two way R/T communication using correct phraseology throughout • obtain ATC clearances or flight information, as appropriate • comply with ATC clearances and instructions when required

BÖLÜM 4 – YALNIZ ALETLER REFERANS ALINARAK YAPILAN UÇUŞ USULLERİ VE MANEVRALARI

SECTION 4 – FLIGHT PROCEDURES AND MANOEUVRES BY SOLE REFERENCE TO INSTRUMENTS

4.Bölümdeki maddeler helikopter FNPT veya helikopter FFS' de gerçekleştirilebilir.

Items in section 4 may be performed in a helicopter FNPT or a helicopter FFS.

a	Düz uçuş, istikamet, irtifa/yükseklik ve hız kontrolü Level flight, control of heading, altitude/height and speed	<ul style="list-style-type: none"> • demonstrate control of heading, altitude and airspeed in straight and level flight by visual attitudes while maintaining a correct lookout technique • demonstrate correct use of trim, if applicable
b	Belirtilen istikametlere standart dönüşler, 180° ila 360° sola ve sağa Rate 1 level turns onto specified headings, 180° to 360° left and right	<ul style="list-style-type: none"> • establish Rate-1 turns and roll out onto nominated headings • demonstrate coordinated control of the helicopter's altitude, speed, and rate of turn using instrument-scanning techniques
c	Belirtilen istikametlerde standart tırmanışlı-süzülüslü dönüşler Climbing and descending, including turns at rate 1 onto specified headings	<ul style="list-style-type: none"> • maintain directional control and balance throughout • complete all necessary climb checks • turn onto given headings maintaining balance and speed and bank angle • maintain lookout throughout • return aircraft to straight and level flight in cruise configuration at nominated level/ altitude • complete all necessary drills and checks



KONTROL PİLOTU EL KİTABI

BÖLÜM 3.3 CPL (H)



d Anormal durumlardan kurtarma <i>Recovery from unusual attitudes</i>	<ul style="list-style-type: none"> • Interpretation of the instrument displays to identify 3D position • Application of the correct recovery technique.
e 30° yatisla, 90° sola ve sağa dönüşler <i>Turns with 30° bank, turning up to 90° left and right</i>	<ul style="list-style-type: none"> • demonstrate the correct lookout technique before, during and after turns • establish and maintain throughout the turn the nominated altitude and speed • co-ordinate the entry to turns to achieve 30° bank • co-ordinate the recovery from turns to straight and level flight on the specified heading or as appropriate without loss/gain of height

Bölüm 5 – ANORMAL VE ACİL DURUM USULLERİ (UYGUN YERLERDE SİMULE EDİLMİŞ) / **Section 5 - ABNORMAL AND EMERGENCY PROCEDURES (SIMULATED WHERE APPROPRIATE)**

Not (1) Testin bir ME helikopter ile gerçekleştirildiği durumlarda, bir SE yaklaşması ve inişi dâhil olmak üzere benzetilmiş motor arızaları teste dâhil edilmelidir.

Note (1) Where the test is conducted on an ME helicopter, a simulated engine failure drill, including an SE approach and landing should be included in the test.

Not (2) Kontrol Pilotu aşağıdaki maddelerden en az 4 adet uçuş hareketi seçecektir. /

Note (2) The FE selects 4 items from the following

a Uygun olduğu takdirde motor arızası, governor arızası, karbüratör/motor buzlanması, yağ sistem arızası <i>Engine malfunctions, including governor failure, carburetor/engine icing, oil system, as appropriate</i>	<ul style="list-style-type: none"> • analyse emergency or abnormal situation and formulate appropriate plan • execute abnormal or emergency drills • enable helicopter power-plant governor and confirm operation • choose a suitable landing area with due regard for landing surface, surroundings and wind velocity
b Yakıt sistem arızası <i>Fuel system malfunction</i>	<ul style="list-style-type: none"> • execute abnormal or emergency drills
c Elektrik sistem arızası <i>Electrical system malfunction</i>	<ul style="list-style-type: none"> • execute abnormal or emergency drills
d Uygulanabildiğinde, Hidrolik sistem arızası, hidrolik sistem arızasında yaklaşma ve iniş <i>Hydraulic system malfunction, including approach and landing without hydraulics, as applicable</i>	<ul style="list-style-type: none"> • execute abnormal or emergency drills
e Ana rotor veya kuyruk rotoru sistem arızaları (Uçuş simülöründe veya sadece müzakere edilerek) <i>Main rotor or anti-torque system malfunction (FFS or discussion only)</i>	<ul style="list-style-type: none"> • execute abnormal or emergency drills • Tail rotor drive failure (FFS or oral) • Tail rotor control failure: choose a suitable landing area with due regard for landing surface and wind velocity. Perform a landing or a low-pass according to the landing surface, skid protections, and manufacturer limitations.
f Uygulanabildiğinde, duman kontrolü ve giderme dahil olmak üzere yanın tatbikatları <i>Fire drill, including smoke control and removal, as applicable</i>	<ul style="list-style-type: none"> • execute abnormal or emergency drills • Protective measure and emergency procedure in case of battery thermal runaway of a PED.
g ME helikopterleri dahil olmak üzere, uygun bir uçuş el kitabında ve Part-FCL Ek 9 C, bölüm 3 ve 4'e atıfta bulunularak ana hatlarıyla belirtilen diğer anormal ve acil durum prosedürleri:	<ul style="list-style-type: none"> • demonstrate knowledge of maintaining, operating, emergency handling and limitations of the aeroplane used for the skill



KONTROL PİLOTU EL KİTABI

BÖLÜM 3.3 CPL (H)



- (a) Kalkışta benzetilmiş motor arızası:
- (1) TDP veya öncesinde kalkıştan vazgeçmek/DPATO veya öncesinde güvenli zorunlu iniş
 - (2) TDP veya DPATO'nun hemen sonrasında
- (b) Benzetilmiş motor arızası ile iniş:
- (1) LDP veya DPBL öncesinde meydana gelecek motor arızasında iniş veya pas geçme,
 - (2) LDP sonrası motor arızasını takiben veya DPBL sonrasında güvenli zorunlu iniş.
- Other abnormal and emergency procedures as outlined in an appropriate flight manual and with reference to Appendix 9 C to Part-FCL, sections 3 and 4, including for ME helicopters:*
- (a) Simulated engine failure at take-off:
- (1) rejected take-off at or before TDP or safe forced landing at or before DPATO;
 - (2) shortly after TDP or DPATO.
- (b) Landing with simulated engine failure:
- (1) landing or go-around following engine failure before LDP or DPBL;
 - (2) following engine failure after LDP or safe forced landing after DPBL.

- test
- pilot attitudes toward aircraft system management
 - correctly identify any situation requiring an aborted take-off
 - demonstrate adequate knowledge of the technique and procedure for accomplishing a rejected take-off after powerplant/system(s) failure/warnings, including related safety factors
 - demonstrate (SE helicopter) adequate skill in aborting the take-off and safely terminate at a hover or on the ground.
 - select (ME helicopter) the appropriate CAT A departure / approach landing profile or as directed by the examiner
 - perform rejected take-off manoeuvres at or before the TDP / DPATO point i.a.w OEM recommended procedure
 - perform continued take-off manoeuvres at or after the TDP / DPATO point i.a.w OEM recommended procedure
 - perform baulked / rejected landing manoeuvres at or before the LDP or DPBL point i.a.w OEM recommended procedure
 - perform OEI landing manoeuvres at or after the LDP or DPBL point i.a.w OEM recommended procedure



KONTROL PİLOTU EL KİTABI

BÖLÜM 3.2 PPL (H)



7. Tamamlama Standardı

CPL (H) yetenek testini geçmek için aday, aşağıdakilere yönelik kabiliyet göstermelidir:

- (a) Tehdit ve hataları algılama ve yönetme;
- (b) Helikopteri limitleri dâhilinde işletme;
- (c) Tüm manevraları akıcı ve doğru bir şekilde tamamlama;
- (d) Sağduyulu karar verebilme ve iyi bir havacılık kültürü ile davranabilme; uçuş hedeflerine ulaşmak için muhakeme yeteneğini ve geliştirilmiş bilgi, beceri ve tutumları sürekli olarak kullanabilme;
- (e) Havacılıkla ilgili bilgiyi uygulama;
- (f) Bir prosedür veya manevranın başarılı sonucundan hiçbir zaman şüphe duyulamayacak şekilde helikopterin kontrolünü her zaman sürdürme;
- (g) Aşağıdaki sınırlar dâhilinde kalma (bu toleranslar, genel rehberlik içindir; Kontrol Pilotu, turbülanslı hava koşullarını ve kullanılan uçağın kullanım nitelikleri ve performansını dikkate almalıdır):

Yükseklik:	normal uçuş	± 100ft
	benzetilmiş motor arızası durumunda	± 1500 ft
	radio yardımcılarının takibi	± 10 ft
Baş	Normal Uçuşta	± 10 derece
	Benzetilmiş emergensi	± 15 derece
Hız:	kalkış ve yaklaşma tek motor	± 5 knot
	diğer uçuş rejimleri	± 15 knot
Sürüklenme:	kalkış havır IGE	± 3 ft
	İniş	yana ve geriye sürüklene olmayacak

Gereklilik açısından (a) ve (f) ile karşılaşıldığında, (b) ve (e) arasındaki maddeler için tamamlama standartları nicel değil, ancak nitel değerlendirmeye dayanmaktadır. Altbölüm 8'de belirtilen kılavuzun kullanımı, bu nitel gerekliliklere dair gerçege dayalı ve tutarlı bir değerlendirme ile karar verme sağlar.



KONTROL PİLOTU EL KİTABI

BÖLÜM 3.2 PPL (H)



8. Bilgi, Beceri ve Tutum Değerlendirme Rehberi

Aşağıdaki tablolar, adayın testin her bölümünü başarılı bir şekilde tamamlamak için ihtiyaç duyduğu bilgi, beceri ve tutumları değerlendirirken kontrol pilotuna rehberlik sağlamak üzere tasarlanmıştır. Bu, kontrol pilotuna (b)'den (e)'ye kadar Altbölüm 7'de belirtilen tamamlama standartlarını değerlendirmede ve sonucu belirlemede yardımcı olmalıdır.

Aşağıdaki tablolarda her bölüm için, ilgili KSA'larla birlikte bölümün hedeflerinin kısa bir anlatımı yer almaktadır.

Section 1 - Pre-flight or Post-flight Checks and Procedures

Planning, preparation and conduct of a safe and compliant flight, including the usage of TEM. Safe and compliant usage of the aircraft.

Knowledge	<ul style="list-style-type: none">applicable regulations (rules of the air, operational, licensing)weather information including METAR, TAF and Area Forecast, synoptic chart and wind charts;NOTAMs interpretation and understandingaircraft flight manual structure, relevant information usageaeronautical navigation charts interpretation and usageradio communication procedures and standard phraseologymass-and-balance limitations and computation of centre of gravityflight performancehelicopter technical logfuelling and fuel checks
Skill	<ul style="list-style-type: none">obtain and assess all elements of the prevailing flight preparation informationcomplete an appropriate flight navigation log and chartcomplete a mass-and-balance formcomplete helicopter documentation and explain documents requirements for the flightsearching in official reference documents (e.g. ,RFM, POH,AIP)complete all recommended cockpit inspection, engine/rotor starting and post flight procedures by using an approved checklistcalculate helicopter performance criteria and limitations applicable to the forecast weather conditions and make adjustments as required for actual conditions before take-offreturn the helicopter to the parking area and complete engine shutdownsecure the helicopter and complete the documentation



KONTROL PİLOTU EL KİTABI

BÖLÜM 3.2 PPL (H)



Attitude

Situation awareness:

- is aware of flight planning considerations affecting all phases of the flight
- identifies potential problems during this phase, and knows how to react

Workload management:

- allocates appropriate time to the planning and helicopter pre-flight check.
- completes all required tasks at the appropriate time
- divides attention appropriately inside and outside the cockpit

Communication:

- ensures a passenger briefing is made at an appropriate time
- communicates with other agencies including ATC, when and where appropriate

Leadership and teamwork:

- interacts with all parties responsible for helicopter availability and dispatch.

Problem-solving and decision-making:

- makes a competent 'GO/NO GO' decision
- identifies possible defects and threats and takes corrective action

Section 2 - Hover Manoeuvres, Advanced Handling and Confined Areas

Safe and smooth aircraft operation throughout the certified flight envelope, awareness of the envelope limits and how to return to a safe flight, should an excursion occur

Knowledge

- wind/ground speed limitations for hover manoeuvres
- height/velocity envelope limitations
- wind limitations for crosswind and tailwind conditions
- effects of crosswind and tailwind on helicopter attitude
- RRPM and engine / torque limitations
- yaw-rate limitations
- approved/recommended take-off profiles
- recommended climb speeds
- approved/recommended approach profiles
- recommended approach speeds
- RRPM limitations for autorotation
- approved techniques for running take-offs and landings
- sloping ground limitations;
- causes of dynamic rollover and preventative techniques.
- emergency operating procedures relating to engine failure
- throttle control techniques



KONTROL PİLOTU EL KİTABI

BÖLÜM 3.2 PPL (H)



Skill

- complete all necessary checks and drills throughout
- lift in order to establish a stable hover maintaining ground position and heading
- maintain heading, height, and ground position whilst in the stationary hover into crosswind, and downwind included
- complete a backwards manoeuvre preceded by a lookout turn and an increase in the hover height
- descend in order to land maintaining ground position and heading
- maintain directional control and balance throughout
- obtain ATC clearance, when required
- demonstrate take-off/transition from the hover as detailed by the examiner
- take-off in crosswind/downwind from the hover as detailed by the examiner
- demonstrate an approach profile nominated by the examiner
- identify a landing area on slope and conduct reconnaissance
- conduct power check, noting power available
- stop the tendency to yaw, drift and roll (simulated engine failure)
- cushion the touchdown (simulated engine failure)

Section 3 - Navigation and en-Route Procedures

Navigating safely and effectively between A and B, in compliance with the regulation; monitoring the flight and maintaining an awareness of the changing environment; implementing adequate solutions as necessary

Knowledge

- flight-planning methodology including relationship between wind velocity, IAS, ground speed, heading, and track
- aeronautical navigation maps legend and charts interpretation
- decoding of available weather information
- altimeter-setting procedures
- operational flight plan usage
- on-board communication equipment use and limitation
- applicable regulation (airspace class, weather minima)
- radiotelephony requirements, procedures, and applicable standard phraseology
- pilot-controller responsibilities including tower, en-route control, and clearances;
- adequate knowledge of two-way communications failure procedures
- manual flying techniques with or without the use of autopilot as determined by the examiner



KONTROL PİLOTU EL KİTABI

BÖLÜM 3.2 PPL (H)



Skill	<ul style="list-style-type: none">control helicopter altitude, speed, and heading using visual attitude flying techniquesuse the trim system, where appropriatechart and ground reading (reconciliation of ground features and chart information)identify the helicopter's position by visual reference to ground features and map(s)/chart(s)maintain regular lookout using proper visual-scanning techniquesproficient usage of on-board communication equipmentnavigate by means of precomputed headings, ground speed, and elapsed timecorrect track error through suitable heading adjustmentconduct regular checks for carburettor icing, if appropriatecommunicate clearly, assertively, and in due timemonitor fuel consumption for range or endurance, making adjustments as appropriateflight re-planning and diversion implementation
Attitude	<p>Situation awareness:</p> <ul style="list-style-type: none">demonstrates terrain awarenessawareness of conflicting traffic movementsassesses environmental conditions and its possible evolution, and proactively generating optionsawareness of the helicopter's position in relation to external references <p>Workload management</p> <ul style="list-style-type: none">divides attention appropriately inside and outside the cockpitarranges cockpit reference material to be available at the appropriate timeprioritises flying tasks and normal operating procedures to ensure timely completion <p>Communication:</p> <ul style="list-style-type: none">obtains appropriate ATC clearance, reads back correctly and when necessary, and requests clarification or change or assistance as necessary <p>Problem-solving and decision-making:</p> <ul style="list-style-type: none">recognises errors and takes timely and appropriate corrective actionset priorities (Fly, Navigate, Communicate, Manage) and manage workloadre-plans flight plan as necessary

Section 4 - Flight Procedures and Manoeuvres

Knowledge	<ul style="list-style-type: none">manual flying control techniquesspeed–bank angle relationship for rate of turnrecommended climb/descent speeds and associated power settings
Skill	<ul style="list-style-type: none">demonstrate coordinated control of the helicopter altitude, angle of bank, speed, and heading using instrument scanning techniquesestablish steep turns (with a 30-degree angle of bank) onto nominated headings whilst maintaining altitude/height and speeduse the trim system, where appropriatemaintain directional control and balance throughoutcomplete all the necessary checks and drills throughout



KONTROL PİLOTU EL KİTABI

BÖLÜM 3.2 PPL (H)



Attitude

Situation awareness:

- demonstrates orientation throughout the manoeuvre
- assesses environmental conditions
- awareness of the helicopter's speed/height/power setting/RRPM

Problem-solving and decision-making:

- recognises errors and takes timely and appropriate corrective action

Section 5 - Abnormal and Emergency Procedures

Spotting, assessing, and addressing emergencies or abnormal using the appropriate procedures, maintaining a safe flight throughout; decisions to discontinue the flight to ensure safety, if necessary

Knowledge

- abnormal and emergency operating procedures
- emergency drills memory items
- understanding of all emergency and abnormal procedures
- precautionary landing methodology
- standard phraseology for emergency and abnormal situation (e.g. Engine, Fuel, Electrical, Hydraulic, Rotor system and Fire drills including Smoke control /removal)
- transponder codes for emergency or com-loss situations
- priority setting tools (e.g. PPAA or FNCM)

Skill

- instrument scanning for advanced information of an impending issue
- analyse emergency / abnormal situations and formulate appropriate plan
- timely execution of emergency drills memory items
- for main-rotor failure, commence emergency descent to land immediately;
- for anti-torque system failure (fixed pitch), establish a balanced flight and simulate a running landing
- for anti-torque system failure (loss of drive), enter autorotation immediately and recover with a power-off landing
- execute abnormal drills in accordance with the RFM or other appropriate document (touch drills only)
- apply appropriate protective measure in case of battery thermal runaway of a PED and emergency landing
- plan, execute, and demonstrate further actions to ensure safe recovery of helicopter and passengers
- use the checklist to confirm actions when time permits
- make suitable emergency R/T calls (given to the examiner but not transmitted)



KONTROL PİLOTU EL KİTABI

BÖLÜM 3.2 PPL (H)



Attitude

Situation awareness:

- demonstrates terrain awareness
- awareness of conflicting traffic movements
- assesses environmental conditions
- awareness of the helicopter's speed/height/power setting / RRPM
- awareness of the helicopter systems' state
- awareness of the helicopter's position in relation to external references (landmarks / navigation aids).

Workload management:

- prioritises flying tasks, normal operating procedures, and emergency operating procedures appropriately (Fly, Navigate, Communicate, Manage)

Communication:

- ensures that correct passenger and crew briefings are made
- informs ATC of situation in a timely manner and requests appropriate priority

Problem-solving and decision-making:

- recognises errors or system malfunctions, and takes timely and appropriate corrective action
- re-plans flight as necessary




KONTROL PİLOTU EL KİTABI

BÖLÜM 3.2 PPL (H)



9. Karar Verme Akış Şeması





KONTROL PİLOTU EL KİTABI

BÖLÜM 3.2 PPL (H)



10. Kontrol Uçuşu Sonrası Briefing (Debriefing)

Uçuş sonrası briefing, kontrol pilotunun adayı test sonucu hakkında bilgilendirmesi ile başlamalıdır. Bundan sonra kontrol pilotu, adayın güçlü ve zayıf yanlarını vurgulayarak briefingi faydalı hale getirmelidir. Adayın teste başarısız olduğu takdirde kontrol pilotu; adayı ve ATO'yu ilave bir eğitim önerisi hakkında bilgilendirmelidir. Adayın yetkili otorite tarafından belirlenen usullere göre itiraz hakkı olduğu belirtilmelidir. Kontrol pilotu adayın onayı ile sorumlu öğretmen pilotun, kıdemli kontrol pilotunun veya SHGM denetçisinin uçuş sonrası briefinge katılmasına izin verebilir.



KONTROL PİLOTU EL KİTABI

BÖLÜM 3.2 PPL (H)



11. Geçerli tüm kayıtların tamamlanması

Tüm ilgili kayıtlar tamamlanmalıdır. İlgili kayıtlar, aşağıdaki belgeleri içermelidir ancak bunlarla sınırlı değildir, gerekli tüm belge ve dokümanlar eksiksiz doldurulmalıdır:

- İlgili operasyonel belgeler, uçak uçuş kayıt defteri, ATS uçuş planının kapatılması
- Yetenek testi formu ve kontrol pilotu raporu
- Aday uçuş kayıt defteri

Başarısız olunan veya kısmen başarısız olunan herhangi bir yetenek testi için başarısızlık gerekçesi, kontrol pilotunun raporunda yer almalıdır. Başarısızlık nedeni açık, anlaşılır ve motive edici olmalıdır; sadece başarısız olunduguuna dair basit bir ifade uygun veya yeterli değildir. Aynı şekilde yeniden eğitim almaya dair herhangi bir tavsiye, kontrol pilotunun raporuna yazılmalıdır.